

Achieve authentic character and UNCOMPROMISING PERFORMANCE.

DENVER Product Catalog







Installed on over 8 million homes* from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while delivering long term beauty and lower maintenance. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

CONTENTS

4	HardieZone® System
6	Unique Formulation
8	Finishing Technology
10	James Hardie Complete Exterior
12	HardiePlank® Lap Siding
14	HardiePanel® Vertical Siding
16	HardieShingle® Siding
18	HardieTrim® Boards
20	HardieSoffit® Panels
22	Statement Collection™ Products
24	Color Inspiration
26	HardieWrap® Weather Barrier
27	Finishing Touches
28	The James Hardie Difference

Warranty and Endorsements

^{*}Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

HardieZone® System

Only James Hardie® fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie® siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS







Unique Formulation HZ5® Substrate

Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce moisture and resist damage from wet or freezing conditions.

PROPRIETARY ENHANCEMENTS CREATE **DURABLE JAMES HARDIE® SIDING**



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability


Patented and proprietary additives are chemically bonded within the HZ5® substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.







The advanced design of HZ5° lap siding improves drainage from top to bottom.

In addition to the enhanced moisture resistance of our product formulation, HardiePlank® HZ5® lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



Sloped Top

Positive slope at top drains moisture to outer face of lap



Profiled Drip Edge

Bottom bullnose drip edge allows moisture to drain away from lap

Finishing Technology

Primer

A quality primer is the first step to ensuring that the paint color you select beautifully expresses a home's true character now — and for years to come. Our distinctive primer is climate-tested and engineered to enhance the performance of paint on James Hardie® fiber cement siding products. It helps to provide consistent, long-lasting paint adhesion, even in the most demanding conditions.

ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish that performs better, lasts longer and looks brighter on your homes.



Superior finish adhesion

Our proprietary coating is engineered for superior adhesion to our substrate and applied to the surface, edges and features for durable performance.



Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



Superior UV resistance

Multi-coat, baked on finish helps retain color vibrancy longer compared to vinyl siding and typical field paints on other siding products.






Our finishes help eliminate stress and reduce costly weather delays when it's too cold or damp to paint for extended periods. Now there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site during installation.

ColorPlus® Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.









HardiePlank®

Thickness 5/16 in Length 12 ft planks

SELECT CEDARMILL® & SMOOTH

Width	5.25 in	6.25 in	7.25 in	8.25 in	9.25 in*	12 in*
Exposure	4 in	5 in	6 in	7 in	8 in	10.75 in
Prime Pcs/Pallet	360	308	252	230	190	152
ColorPlus Pcs/Pallet	_	280	252	210	_	_
Pcs/Sq	25.0	20.0	16.7	14.3	12.5	9.3

SELECT CEDARMILL®



	SELECT	CEDAKIVILL
Width	5 25 in	6 25 in

7.25 in 8.25 in **STATEMENT** $\textbf{COLLECTION}^{\text{\tiny{TM}}}$ **DREAM COLLECTION™**

\checkmark	
\checkmark	

9.25 in*

12 in*



SMOOTH

PRIME

Width	5.25 in	6.25 in	7.25 in	8.25 in	9.25 in*	12 in*
STATEMENT COLLECTION™						
DREAM COLLECTION™		\checkmark	\checkmark	\checkmark		
PRIME	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

*9.25 in and 12 in widths do not feature the drip edge

BEADED CEDARMILL®



BEADED SMOOTH



BEADED CEDARMILL® & BEADED SMOOTH


Width	8.25 in	STATEMENT
Exposure	7 in	COLLECTION™
Prime Pcs/Pallet	240	DREAM
ColorPlus Pcs/Pallet	210	COLLECTION™
Pcs/Sq	14.3	PRIME ✓

RUSTIC CEDAR



RUSTIC CEDAR

Width Exposure	6.25 in 5 in	8.25 in STATEMENT 7 in COLLECTION ™
Prime Pcs/Pallet	308	240 DREAM
ColorPlus Pcs/Pallet	-	COLLECTION™
Pcs/Sq	20	14.3 PRIME ✓



HardiePanel®

Thickness 5/16 in

SELECT CEDARMILL®, SMOOTH, STUCCO & SIERRA 8


Size	4 ft x 8 ft	4 ft x 9 ft	4 ft x 10 ft
Prime Pcs/Pallet	50	50	50
ColorPlus Pcs/Pallet	50	_	50
Pcs/Sq	3.2	2.8	2.5

SELECT CEDARMILL®



4 ft x 8 ft	4 ft x 9 ft	4 ft x 10 ft
		\checkmark
\checkmark		\checkmark
\checkmark	\checkmark	\checkmark
	4 ft x 8 ft	4 ft x 8 ft 4 ft x 9 ft

SMOOTH



Size	4 ft x 8 ft	4 ft x 9 ft	4 ft x 10 ft
STATEMENT COLLECTION™			
DREAM COLLECTION™	√		√
PRIME	√	\checkmark	√

STUCCO



Size	4 ft x 8 ft	4 ft x 9 ft	4 ft x 10 ft
STATEMENT COLLECTION™			
DREAM COLLECTION™	√		\checkmark
PRIME	<u>✓</u>	\checkmark	\checkmark

SIERRA 8



Size	4 ft x 8 ft	4 ft x 9 ft	4 ft x 10 ft
STATEMENT COLLECTION™			
DREAM COLLECTION™			
PRIME	✓	√	√
LIMINE			




HardieShingle®

Thickness 1/4 in







STAGGERED EDGE PANEL

Length 48 in
Height 15.25 in
Exposure 6 in
Prime Pcs/Pallet 100
ColorPlus Pcs/Pallet 100
Sq/Pallet 2
Pcs/Sq 50.0

STATEMENT

COLLECTION™ DREAM

COLLECTION™

PRIME ✓

STRAIGHT EDGE PANEL

Length 48 in
Height 15.25 in
Exposure 7 in
Prime Pcs/Pallet 86
ColorPlus Pcs/Pallet 86
Sq/Pallet 2
Pcs/Sq 43.0

STATEMENT COLLECTION™

DREAM COLLECTION™

√

PRIME ✓



Length 48 in
Height 15.25 in
Exposure 7 in
Prime
Prime
Pcs/Pallet 2
Pcs/Sq 43.0

STATEMENT COLLECTION™

 $\begin{array}{c} \textbf{DREAM} \\ \textbf{COLLECTION}^{\text{\tiny{M}}} \end{array}$

PRIME ✓






HardieTrim[®]

Length 12 ft boards

RUSTIC GRAIN®



SMOOTH



4/4 RUSTIC GRAIN®

Thickness	.75 in				
Width	3.5 in	5.5 in	7.25 in	9.25 in	11.25 in
Prime Pcs/Pallet	322	184	138	115	92
ColorPlus Pcs/Pallet	322	184	138	115	92
STATEMENT COLLECTION"	\checkmark	\checkmark	\checkmark		
DREAM COLLECTION™	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
PRIME	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

4/4 SM00TH

Thickness	.75 in				
Width	3.5 in	5.5 in	7.25 in	9.25 in	11.25 in
Prime Pcs/Pallet	312	208	156	104	104
ColorPlus Pcs/Pallet	312	208	156	104	104
STATEMENT COLLECTION"					
DREAM COLLECTION™	✓	\checkmark	\checkmark	\checkmark	√
PRIME	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

5/4 RUSTIC GRAIN®

Thickness 1 in

Width Prime Pcs/Pallet ColorPlus Pcs/Pallet	238	136	7.25 in 102 120	9.25 in 85 100	11.25 in 68 80	
STATEMENT COLLECTION™	√	√	√	100	√	
DREAM COLLECTION™	√	√	\checkmark	\checkmark	✓	
PRIME	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	

5/4 SM00TH

Width	3.5 in	4.5 in	5.5 in	7.25 in	9.25 in	11.25 in
Prime Pcs/Pallet	240	200	160	120	80	80
ColorPlus Pcs/Pallet	240	200	160	120	80	80
STATEMENT COLLECTION** DREAM COLLECTION**	<u> </u>	✓	√	√	√	√
COLLECTION						
PRIME	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

BATTEN BOARDS

SMOOTH



RUSTIC GRAIN®



SMOOTH & RUSTIC GRAIN®

Thickness	.75 in
Length	2.5 in
Prime Pcs/Pallet	437
ColorPlus Pcs/Pallet	190



Thickness 1 in





HardieSoffit®

Thickness 1/4 in


VENTED SMOOTH



VENTED SELECT CEDARMILL®



NON-VENTED SMOOTH



NON-VENTED SELECT CEDARMILL®



BEADED PORCH PANEL



VENTED SMOOTH & SELECT CEDARMILL®

Length	12 11	12 ft	8 ft
Width	12 in	16 in	24 in
Prime Pcs/Pallet	200	150	100
ColorPlus Pcs/Pallet	216	156	108

VENTED SMOOTH

Size 12 ft x 12 in 12 ft x 16 in 8 ft x 24 in

STATEMENT
COLLECTION™

DREAM
COLLECTION™

PRIME

✓

✓

VENTED SELECT CEDARMILL®

Size 12 ft x 12 in 12 ft x 16 in 8 ft x 24 in

STATEMENT
COLLECTION**

DREAM
COLLECTION**

PRIME

V

V

NON-VENTED SMOOTH & SELECT CEDARMILL®

Length 12 ft 12 ft 8 ft 8 ft Width 12 in 16 in 24 in 48 in Prime Pcs/Pallet 200 150 100 50 ColorPlus Pcs/Pallet 216 156 108

NON-VENTED SMOOTH

Size 12 ft x 12 in 12 ft x 16 in 8 ft x 24 in 8 ft x 48 in

NON-VENTED SELECT CEDARMILL®

BEADED PORCH PANEL

Thickness 1/4 in
Length 8 ft
Width 48 in
Prime 50
Pcs/Pallet

STATEMENT
COLLECTION™

DREAM
COLLECTION™

PRIME
✓

STATEMENT COLLECTION™

Make your next home stand out with our Statement Collection™ products. Carefully curated by our design experts specifically for your market, the collection brings together the most popular James Hardie ColorPlus® siding and trim styles, textures, and colors. This stunning selection is locally stocked and designed for simplicity - making it easier than ever to get a beautiful, long-lasting home exterior.

ColorPlus® Technology

Plank, Panel, Shingle and Batten Color Offering



Trim Color Offering



Soffit Color Offering



Selecting a color?
Request a product sample
at **jameshardiepros.com/samples**

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.

HardiePlank®



SELECT CEDARMILL°

Width 8.25 in Exposure 7 in

HardiePanel®



SELECT CEDARMILL®

4 ft x 10 ft

HardieShingle®



STRAIGHT EDGE PANEL

Height 15.25 in Exposure 7 in

HardieSoffit®



VENTED SELECT CEDARMILL®

Size 8 ft x 24 in



STAGGERED EDGE PANEL

15.25 in Height Exposure 6 in



NON-VENTED SELECT CEDARMILL°

8 ft x 24 in Size

HardieTrim®

4/4 RUSTIC GRAIN®



5/4 RUSTIC GRAIN®



BATTEN BOARDS

4/4 RUSTIC GRAIN®



.75 in Thickness Length 12 ft boards

Width

12 ft boards

3.5 in 5.5 in. 7.25 in 3.5 in 5.5 in 7.25 in 11.25 in


.75 in 12 ft boards 2.5 in

Get Inspired

SIMPLE LIVING

LIGHT COLORS

Whites and soft pastels are pure, clean, new and bright. Combine with other hues to add interest, personality and contrast. Works well on houses with Colonial Inspiration. A pastel A-frame cottage can look sweet and charming.



LIVE WITH SOPHISTICATION

NEUTRAL COLORS

Neutral rules the suburbs. These shades are safe, but also sophisticated. When accessorized with black or a darker color, a neutral can look fashionably stylish. Play with textures and use different tones for trim.

Cobble Stone





LIVE YOUR TRUE COLORS

Dark grays, blues and greens can feel both intellectual and modern. When used with white trim, they create drama. Works well in old neighborhoods, or urban environments, where there is a mix of old and new.

DREAM COLLECTION™

Looking to further express your sense of style? Look to our *Dream Collection*™ products.

- Featuring a color palette of over 700 ColorPlus® Technology finishes
- Made to order in a wide array of James Hardie® siding and trim styles
- Matches elevated design flexibility with the uncompromising performance of our fiber cement products

See what's possible at jameshardiepros.com/dream






HardieWrap®

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify





WEATHER BARRIER

Thickness	11 mil				Thickness	60 mil	
Length	100 ft	100 ft	150 ft	150 ft	Length	75 ft	75 ft
Width	3 ft	9 ft	9 ft	10 ft	Width	6 in	9 in

FLEX FLASHING

SEAM TAPE

PRO-FLASHING

Thickness	20 mil			Thickness	3.2 mil
Length	75 ft	75 ft	75 ft	Length	164 ft
Width	4 in	6 in	9 in	Width	1-7/8 in



To learn more about our weather barrier's advantages, visit **jameshardiepros.com**

Install Done Right

Installation Accessories

HARDIEBLADE® SAW BLADES

Manufactured by Diablo, the HardieBlade® saw blade is designed specifically to cut fiber cement products, and is the only saw blade James Hardie recommends. The blade creates clean, precise cuts while helping to reduce the amount of airborne dust produced. Specially designed to outlast other fiber cement saw blades by 3X, outlasting carbide blades by 60X.





PACTOOL® GECKO GAUGE

The PacTool® Gecko Gauge is designed to improve the installation experience, allowing one person to hang HardiePlank® lap siding during installation. Studies suggest the Gecko Gauge can improve the speed of solo installation by 30%.





Finishing Touches

ColorPlus® Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our touch-up kits offer resistance to aging, color change and chalking. Estimated one kit per 4000 sq ft of siding or 1600 sq ft of trim.



COLOR MATCHED CAULK

OSI® QUAD® MAX sealant offers a high performance sealant solution to color match Statement Collection™ products.* About 18-20 linear feet per tube. Refer to packaging for manufacturer's recommendations.

*For matching Dream Collection products, contact your local James Hardie representative.

Trim Accessories

FLAT TABS

Eliminate face nails and improve the aesthetic of trim applications around windows, doors and band boards.

CORNER TABS

Use corner tabs to eliminate face nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit **jameshardiepros.com**



As unforgettable AS IT IS UNCOMPROMISING.



See the James Hardie Difference



James Hardie invented fiber cement. Over 8 million homes* later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

Warranty

Protect your homes with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding and trim warranty coverage. We stand behind our siding 100% for 30 years and trim for 15 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.



Listed as top building materials and products by **Professional Builder 2018**



Chosen by builders as a **Brand Leader** in **Builder magazine** for over 20 years



HardiePlank® lap siding is backed by the Good Housekeeping Seal





